

KÄHLER MANIFOLDS WITH SPLIT TANGENT BUNDLE

MARCO BRUNELLA, JORGE VITÓRIO PEREIRA, AND FRÉDÉRIC TOUZET

1. INTRODUCTION

We study in this paper compact Kähler manifolds whose tangent bundle splits as a sum of two or more subbundles. The basic result that we prove is the following theorem.

Theorem 1.1. *Let M be a compact connected Kähler manifold. Suppose that its tangent bundle TM splits as $D \oplus L$, where $D \subset TM$ is a subbundle of codimension one and $L \subset TM$ is a subbundle of dimension one. Then:*

- (i) *If D is not integrable then L is tangent to the fibres of a \mathbb{P} -bundle;*
- (ii) *If D is integrable then \widetilde{M} , the universal covering of M , splits as $\widetilde{N} \times E$, where E is a connected simply connected curve (\mathbb{D}, \mathbb{C} or \mathbb{P}). This splitting of \widetilde{M} is compatible with the splitting of TM , in the sense that $T\widetilde{N} \subset T\widetilde{M}$ is the pull-back of D and $TE \subset T\widetilde{M}$ is the pull-back of L .*

This result will be the main ingredient in the proof of the following one. See also Section 4 for a more general statement.

Theorem 1.2. *Let M be a compact connected Kähler manifold whose tangent bundle splits as a sum of line bundles:*

$$TM = L_1 \oplus \dots \oplus L_n.$$

Then the universal covering \widetilde{M} is isomorphic to a product of curves:

$$\widetilde{M} = \mathbb{P}^r \times \mathbb{C}^s \times \mathbb{D}^t$$

for suitable integers r, s, t , $r + s + t = n$. Moreover, if all the codimension one subbundles $L_1 \oplus \dots \oplus L_{j-1} \oplus L_{j+1} \oplus \dots \oplus L_n$, $j = 1, \dots, n$, are integrable, then the above splitting of \widetilde{M} is compatible with the one of TM .

The problem of relating splitting properties of the tangent bundle of a compact complex manifold with splitting properties of the universal covering has been recently studied by Beauville [2], Druel [9], Campana–Peternell [7]. The point of view of these papers consists in analysing the interplay between splitting of the tangent bundle and some known differential-geometric or algebraic-geometric properties of the manifold. For instance, in [2] one makes use of Kähler–Einstein metrics, whereas in [9] and [7] a main tool is the geometry of rational curves on a projective variety (Mori theory).

Our point of view is completely independent on the geometry of the underlying manifold. On the contrary, it is completely dependent on the geometry of the foliations by curves generated by one dimensional subbundles of the tangent bundle. In some sense, we replace the Mori theory used in [7] with the “foliated” Mori theory funded by Miyaoka [3]. But also we like to work on compact Kähler manifolds which

are possibly nonprojective, so that the algebraic point of view of [3] must be replaced by the more analytic one of [5] and [6], which moreover gives some useful metric-type information. Other simple but essential tools are the integrability criterion for codimension one distributions of [8] and the construction of holonomy invariant metrics for codimension one foliations of [4].

Roughly speaking, in the setting of Theorem 1.1 our method consists in constructing a special metric on the line bundle L . Then, in the setting of Theorem 1.2 and still roughly speaking, we shall obtain a special metric on M by summing the special metrics on the line bundles L_j , and this special metric on M will give the desired uniformisation. In this perspective, Theorem 1.2 should be compared with Simpson's uniformisation theorem [13, Cor. 9.7] (see also [2]), even if our construction of special metrics is completely different. In fact, we already have by free a special metric, given by the leafwise Poincaré metric, and we have just to verify that it is the good one.

2. ONE DIMENSIONAL FOLIATIONS WITH A TRANSVERSE DISTRIBUTION

Let M be a compact connected Kähler manifold. Suppose that the tangent bundle TM splits as a sum of a one dimensional subbundle L and a codimension one subbundle D :

$$TM = D \oplus L.$$

The line subbundle L is tangent to a holomorphic one dimensional foliation \mathcal{L} . Each leaf of \mathcal{L} is uniformized either by \mathbb{P} (rational leaf) or by \mathbb{C} (parabolic leaf) or by \mathbb{D} (hyperbolic leaf). By a well known argument (Reeb stability plus compactness of the cycles space [11]), if some leaf is rational then every leaf is rational, and \mathcal{L} is a locally trivial \mathbb{P} -bundle over some compact connected Kähler manifold N , $\dim N = \dim M - 1$.

In this case, the transverse distribution D may be integrable or not. If it is integrable, then foliation \mathcal{D} generated by D can be described as a suspension of a representation of $\pi_1(N)$ into $Aut(\mathbb{P})$, see [10, Ch. I]. It follows that \widetilde{M} , the universal covering of M , splits as $\widetilde{N} \times \mathbb{P}$, the splitting being compatible with the splitting of TM .

If D is not integrable and M is projective, a more subtle argument [7, §2] shows that \widetilde{M} still splits as $\widetilde{N} \times \mathbb{P}$ (but now, of course, this splitting is no more compatible with $TM = D \oplus L$). Probably the same holds also in the Kähler nonprojective case, but we don't know a proof.

Let us now turn to the more interesting case in which no leaf is rational. We shall distinguish two different possibilities:

- (a) There is a hyperbolic leaf;
- (b) Every leaf is parabolic.

The following Proposition completes the proof of Theorem 1.1.

Proposition 2.1. *In both cases (a) and (b) the distribution D is integrable, and generates a codimension one foliation \mathcal{D} . The holonomy of this foliation preserves a transverse hermitian metric of constant curvature κ , with $\kappa = -1$ in case (a) and $\kappa = 0$ in case (b). The universal covering \widetilde{M} splits as $\widetilde{N} \times E$, compatibly with $TM = D \oplus L$, and $E = \mathbb{D}$ in case (a) or $E = \mathbb{C}$ in case (b).*

2.1. The hyperbolic case. If some leaf of \mathcal{L} is hyperbolic, we shall rely on the main result of [5]: the leafwise Poincaré metric on \mathcal{L} induces on $T^*\mathcal{L}$ ($= L^*$) a singular hermitian metric whose curvature is a closed positive current.

Let us fix an open covering $\{U_j\}$ of M , with holomorphic vector fields $v_j \in H^0(U_j, \Theta_M)$ generating \mathcal{L} and holomorphic 1-forms (a priori, not necessarily integrable) $\omega_j \in H^0(U_j, \Omega_M^1)$ generating D . We may suppose, by the transversality condition, that $i_{v_j}\omega_j \equiv 1$. On overlapping charts we therefore have

$$v_i = g_{ij}v_j \quad \omega_i = g_{ij}^{-1}\omega_j$$

where $g_{ij} : U_i \cap U_j \rightarrow \mathbb{C}^*$ are holomorphic functions forming a cocycle which defines the line bundle L^* .

For every j , set

$$h_j = \log \|v_j\|_{\text{Poin}}^2$$

where $\|v_j(z)\|_{\text{Poin}}$ is the norm of $v_j(z)$ with respect to the Poincaré metric on the leaf of \mathcal{L} through z . The result of [5] recalled above says that h_j is a *plurisubharmonic* function. Recall also that, by definition, the Poincaré “metric” on a parabolic leaf is identically zero. Thus h_j may have poles, corresponding to the trace of parabolic leaves on U_j .

The arguments are very close to [4] and [8]. In fact, the integrability of D follows from [8] (L^* is the conormal bundle of D , and it is pseudoeffective), and the existence of a transverse metric invariant by the holonomy follows from [4, §6-7]. But let us give anyway some detail for the sake of completeness and reader’s convenience.

From $v_i = g_{ij}v_j$ we deduce that $h_i - h_j = \log |g_{ij}|^2$, and from $\omega_i = g_{ij}^{-1}\omega_j$ we see that the $(1, 1)$ -form locally defined by

$$\eta = \sqrt{-1}e^{h_j}\omega_j \wedge \bar{\omega}_j$$

is indeed a well defined global positive $(1, 1)$ -form (with L_{loc}^∞ -coefficients) on M . We may compute $\sqrt{-1}\partial\bar{\partial}\eta$, as a current. It turns out that it is a *positive* current.

Indeed, by the usual decomposition properties of positive forms, by $\eta \in L_{\text{loc}}^\infty$, and by Fubini’s theorem, it is sufficient to verify that for every local embedding $\iota : \mathbb{D}^2 \rightarrow M$ the current $\sqrt{-1}\partial\bar{\partial}(\iota^*\eta)$ is positive (that is, a positive measure on \mathbb{D}^2). If $\iota(\mathbb{D}^2)$ is tangent to D then $\iota^*\eta \equiv 0$. If $\iota(\mathbb{D}^2)$ is not tangent to D then the trace of D on $\iota(\mathbb{D}^2)$ defines a foliation outside a discrete subset $\Gamma \subset \mathbb{D}^2$. Thus, $\iota^*\omega_j$ outside Γ can be written, in suitable local coordinates (z, w) , as $f dz$, for some holomorphic function f . Consequently, $\iota^*\eta = e^h |f|^2 \sqrt{-1} dz \wedge d\bar{z}$ and

$$\sqrt{-1}\partial\bar{\partial}(\iota^*\eta) = \sqrt{-1}\partial\bar{\partial}(e^{h+\log|f|^2}) \wedge \sqrt{-1} dz \wedge d\bar{z}$$

which is positive because $h + \log |f|^2$ is plurisubharmonic.

This gives the positivity of $\sqrt{-1}\partial\bar{\partial}(\iota^*\eta)$ on $\mathbb{D}^2 \setminus \Gamma$. To obtain the positivity on the whole \mathbb{D}^2 we may simply use the extension theorem of [1]. The form $\iota^*\eta$ has bounded coefficients, so that if Θ is a Kähler form on \mathbb{D}^2 then $\iota^*\eta - c\Theta$ is a negative current for $c \gg 0$, whereas $\sqrt{-1}\partial\bar{\partial}(\iota^*\eta - c\Theta) = \sqrt{-1}\partial\bar{\partial}(\iota^*\eta)$ is positive outside Γ . By [1], this last one is positive on the full \mathbb{D}^2 . Whence the positivity of $\sqrt{-1}\partial\bar{\partial}\eta$ on M .

By Stokes Theorem, the exact positive measure $\sqrt{-1}\partial\bar{\partial}\eta \wedge \Theta^{n-2}$ (Θ is now a Kähler form on M , and $n = \dim M$) must be identically zero, so that $\sqrt{-1}\partial\bar{\partial}\eta$ is

also identically zero:

$$\sqrt{-1}\partial\bar{\partial}\eta \equiv 0.$$

Looking again at the local restriction $\iota^*\eta$, $\iota: \mathbb{D}^2 \rightarrow M$, we obtain that the function $e^{h+\log|f|^2}$ is harmonic in the w -variable. Because $h+\log|f|^2$ is w -subharmonic, the only possibility is that $h+\log|f|^2$ is w -constant: the exponential of a nonconstant subharmonic function is strictly subharmonic. This implies that $\iota^*\eta$ is not only $\partial\bar{\partial}$ -closed, but also d -closed. By varying the embedding $\iota: \mathbb{D}^2 \rightarrow M$, we obtain:

$$d\eta \equiv 0.$$

This means two things:

- (i) the distribution $D = \ker \eta$ is integrable, and hence generates a codimension one foliation \mathcal{D} ;
- (ii) on the transversals to \mathcal{D} , η induces a measure invariant by the holonomy.

Remark that all of this uses only the fact that L^* , the conormal bundle of D , is pseudoeffective, i.e., the functions h_j are plurisubharmonic. But, by the normalization $i_{v_j}\omega_j \equiv 1$ and the definition of h_j , we see that the restriction of η to the leaves of \mathcal{L} is nothing but the area form of the hyperbolic metric on those leaves. Therefore, the holonomy of \mathcal{D} preserves that hyperbolic metric.

In order to complete the proof of Proposition 2.1, case (a), it remains only to prove the splitting property of \widetilde{M} . This will follow from a general Splitting Lemma which we postpone to Section 3.

2.2. The parabolic case. If all the leaves of \mathcal{L} are parabolic, the leafwise Poincaré metric is identically zero and we cannot say, a priori, that L^* is pseudoeffective (unless M is projective, by [3]). But we shall see that indeed it is, and it is even flat, thanks to the existence of the transverse distribution D .

The starting point is the following one [6]: if $T \subset M$ is a codimension one disc transverse to \mathcal{L} , then the associated covering tube U_T (union of the universal coverings of the leaves through T) is holomorphically trivial: $U_T \simeq T \times \mathbb{C}$. This fact can be reformulated in the following way. Take a foliated chart $U \simeq T \times \mathbb{D} \subset M$ around $T = T \times \{0\}$. Then any nonvanishing section v_0 of $T\mathcal{L}|_T$ (i.e. a vector field tangent to \mathcal{L} at points of T) can be extended to a section v of $T\mathcal{L}|_U$ in a canonical way: for every $t \in T$, we simply require that $v|_{\{t\} \times \mathbb{D}}$ is the restriction to the plaque $\{t\} \times \mathbb{D}$ of a *complete nonsingular* vector field on the leaf of \mathcal{L} containing $\{t\} \times \mathbb{D}$. This is well defined, because on a parabolic leaf the space of complete nonsingular vector fields is one dimensional. In other words, v is obtained from v_0 by “parallel transport”, using the natural affine structure on the leaves. Now, the trivialization $U_T \simeq T \times \mathbb{C}$ means exactly that if v_0 is holomorphic then v also is holomorphic.

We may cover M with charts $U_j = T_j \times \mathbb{D}$ as above, and generate \mathcal{L} with holomorphic vector fields v_j as above. Thus $v_i = g_{ij}v_j$ on $U_i \cap U_j$. A moment of reflection shows that the cocycle g_{ij} is *constant* along the (local) leaves of \mathcal{L} . In particular, L^* is flat along the leaves of \mathcal{L} .

We also choose holomorphic 1-forms $\omega_j \in H^0(U_j, \Omega_M^1)$ generating D and normalized by $i_{v_j}\omega_j \equiv 1$, so that $\omega_i = g_{ij}^{-1}\omega_j$. Hence

$$d\omega_i = -\frac{dg_{ij}}{g_{ij}} \wedge \omega_i + g_{ij}^{-1}d\omega_j$$

and by contracting with v_i , thanks to $dg_{ij}(v_i) \equiv 0$, we find

$$\frac{dg_{ij}}{g_{ij}} = i_{v_i}d\omega_i - i_{v_j}d\omega_j.$$

The global 2-form Ω locally defined by

$$\Omega = \frac{1}{2\pi\sqrt{-1}}d(i_{v_j}d\omega_j)$$

represents, in De Rham's sense, the Chern class of L^* , $c_1(L^*) \in H^2(M, \mathbb{R})$. This class must belong, at the same time, to $H^{1,1}(M, \mathbb{C})$ (as any Chern class) and to $H^{2,0}(M, \mathbb{C})$ (because Ω is holomorphic). Since M is Kähler it follows from Hodge decomposition theorem that $H^{1,1}(M, \mathbb{R}) \cap H^{2,0}(M, \mathbb{C}) = \{0\}$. Hence we deduce that $c_1(L^*) = 0$, that is L^* is *flat*.

Now we may proceed as in the hyperbolic case. By flatness, we have

$$\log |g_{ij}|^2 = h_i - h_j$$

where h_j are suitable pluriharmonic functions on U_j . Then the $(1, 1)$ -form

$$\eta = \sqrt{-1}e^{h_j}\omega_j \wedge \bar{\omega}_j$$

is, as in the previous section, a *closed* $(1, 1)$ -form. It is worth noting that the computations here are much more simple, because $h_j = \log |H_j|^2$ for some holomorphic H_j , so that $\eta = \sqrt{-1}(H_j\omega_j) \wedge \overline{(H_j\omega_j)}$ and $\sqrt{-1}\partial\bar{\partial}\eta = d(H_j\omega_j) \wedge d\overline{(H_j\omega_j)}$.

The closedness of η gives the integrability of D and the transverse metric invariant by the holonomy. This transverse metric is flat because the functions h_j are pluriharmonic.

Finally, the splitting property of \widetilde{M} follows from the Splitting Lemma of Section 3 below.

Remark 2.1. We have used here only the fact that L^* is defined by a cocycle locally constant on the leaves of \mathcal{L} . This is equivalent to say that the leaves of \mathcal{L} have an affine structure depending holomorphically on the leaf. A priori, such a property is much weaker than the parabolicity of leaves: any noncompact curve possesses an affine structure, because it possesses a submersion to \mathbb{C} ! But a posteriori, and using the transverse distribution D , we obtain that the leaves of \mathcal{L} are necessarily parabolic because the flat metric transverse to \mathcal{D} induces on each leaf of \mathcal{L} a complete flat hermitian metric. We don't know, and would like to know, if such a property still holds without the transverse distribution D . That is: given a foliation \mathcal{L} on a compact Kähler manifold, such that its leaves have an affine structure depending holomorphically on the leaf, is it true that these leaves are parabolic? Note that there are counterexamples in the non-Kähler case, e.g. foliations on Inoue surfaces [4]. The problem is that an affine structure is not necessarily unimodular, and so it does not necessarily correspond to a flat metric.

A dual problem is: given a codimension one foliation on a compact Kähler manifold, admitting a transverse affine structure invariant by the holonomy, is it true that this structure is unimodular? The conormal bundle of such a foliation is by definition flat, and the proof above shows that the answer is affirmative. The reader may find more material on these aspects in [12].

3. THE SPLITTING LEMMA

Lemma 3.1. *Let M be a compact connected complex manifold whose tangent bundle TM splits as*

$$TM = D \oplus L_1 \oplus \dots \oplus L_k$$

where L_1, \dots, L_k have dimension one and D has codimension k . Suppose that:

(i) for every $j = 1, \dots, k$ the codimension one subbundle

$$D^{(j)} = D \oplus L_1 \oplus \dots \oplus L_{j-1} \oplus L_{j+1} \oplus \dots \oplus L_k$$

is integrable, and generates a codimension one foliation $\mathcal{D}^{(j)}$;

(ii) for every $j = 1, \dots, k$, the foliation $\mathcal{D}^{(j)}$ admits a transverse hermitian metric of constant curvature invariant by the holonomy.

Then the universal covering \widetilde{M} of M splits as

$$\widetilde{M} = \widetilde{N} \times E_1 \times \dots \times E_k$$

where each E_j is either \mathbb{D} or \mathbb{C} or \mathbb{P} , and where $T\widetilde{N} \subset T\widetilde{M}$ is the pull-back of $D \subset TM$. Moreover, if $L_1 \oplus \dots \oplus L_k$ is integrable then $TE_j \subset T\widetilde{M}$ is the pull-back of $L_j \subset TM$, for every j .

Proof. The integrability of all $D^{(j)}$ gives the one of $D = \cap_{j=1}^k D^{(j)}$, so that D is tangent to a codimension k foliation \mathcal{D} ($= \cap_{j=1}^k \mathcal{D}^{(j)}$). Similarly, $D \oplus L_j$ is integrable for every j , so that the holonomy of \mathcal{D} preserves the splitting of its normal bundle induced by $L_1 \oplus \dots \oplus L_k = TM/D$. By hypothesis (ii), we may put on the leaves of \mathcal{L}_j (the foliation generated by L_j) an hermitian metric g_j of constant curvature $\kappa_j \in \{-1, 0, 1\}$, preserved by the holonomy of $\mathcal{D}^{(j)}$. Then $g = \oplus_{j=1}^k g_j$ is a homogeneous hermitian metric on TM/D preserved by \mathcal{D} .

The general theory of transversely homogeneous foliations [10, Ch. III] gives a submersion

$$\pi : \widetilde{M} \rightarrow E_1 \times \dots \times E_k$$

whose fibres are the leaves of $\widetilde{\mathcal{D}}$, with $E_j = \mathbb{D}$ (if $\kappa_j = -1$), \mathbb{C} (if $\kappa_j = 0$) or \mathbb{P} (if $\kappa_j = 1$). The distribution $\widetilde{L}_1 \oplus \dots \oplus \widetilde{L}_k \subset T\widetilde{M}$ is transverse to the fibres of π , and each summand \widetilde{L}_j projects isometrically to TE_j , with the appropriate constant curvature metric.

Consider the restriction of π over some curve:

$$\mathbf{c} = (c_1, \dots, c_{j-1}, c_{j+1}, \dots, c_k) \in E_1 \times \dots \times E_{j-1} \times E_{j+1} \times \dots \times E_k$$

$$E_j^{\mathbf{c}} = \{(z_1, \dots, z_k) \in E_1 \times \dots \times E_k \mid z_i = c_i, i \neq j\}$$

$$\widetilde{M}_j^{\mathbf{c}} = \pi^{-1}(E_j^{\mathbf{c}})$$

$$\pi_j^{\mathbf{c}} : \widetilde{M}_j^{\mathbf{c}} \rightarrow E_j^{\mathbf{c}}.$$

The foliation $\widetilde{\mathcal{L}}_j$ is tangent to $\widetilde{M}_j^{\mathbf{c}}$, and there it is transverse to the fibres of $\pi_j^{\mathbf{c}}$. On each leaf of $\widetilde{\mathcal{L}}_j$ the projection $\pi_j^{\mathbf{c}}$ is a local isometry to $E_j^{\mathbf{c}}$. Now, the basic fact is that the metric on the leaves of $\widetilde{\mathcal{L}}_j$, arising from the metric on the leaves of \mathcal{L}_j , is *complete*, by compactness of M . It follows that on each leaf of $\widetilde{\mathcal{L}}_j$, $\pi_j^{\mathbf{c}}$ is a covering map, hence a global isometry of the leaf with $E_j^{\mathbf{c}}$. Therefore the foliation $\widetilde{\mathcal{L}}_j$ induces a trivialization

$$\widetilde{M}_j^{\mathbf{c}} \simeq \widetilde{N} \times E_j^{\mathbf{c}}$$

where \tilde{N} is a fibre of π_j^c (all the fibres are now isomorphic). This splitting is, by construction, compatible with $T\tilde{M}_j^c = \tilde{D} \oplus \tilde{L}_j$.

By the same argument, if $L_1 \oplus \dots \oplus L_k$ is integrable we obtain

$$\tilde{M} = \tilde{N} \times E_1 \times \dots \times E_k$$

in a way compatible with $T\tilde{M} = \tilde{D} \oplus \tilde{L}_1 \oplus \dots \oplus \tilde{L}_k$. But we claim that such a splitting (without compatibility) exists even in the nonintegrable case, by an “iterated integral” argument.

Indeed, fix a fibre \tilde{N} of π , over some point $(c_1, \dots, c_k) \in E_1 \times \dots \times E_k$. We already know that $\tilde{M}_1^c, \mathbf{c} = (c_2, \dots, c_k)$, is a product, in a canonical way induced by \tilde{L}_1 . Thus we have a canonical family of isomorphisms

$$\varphi^{a_1} : \pi^{-1}(a_1, c_2, \dots, c_k) \rightarrow \tilde{N}, \quad a_1 \in E_1.$$

For every $a_1 \in E_1$ we also know that $\tilde{M}_2^{c'}, \mathbf{c}' = (a_1, c_3, \dots, c_k)$, has a product structure induced by \tilde{L}_2 . Thus we have, for every a_1 , a canonical family of isomorphisms

$$\varphi_{a_1}^{a_2} : \pi^{-1}(a_1, a_2, c_3, \dots, c_k) \rightarrow \pi^{-1}(a_1, c_2, \dots, c_k), \quad a_2 \in E_2$$


and consequently

$$\varphi^{a_1, a_2} = \varphi^{a_1} \circ \varphi_{a_1}^{a_2} : \pi^{-1}(a_1, a_2, c_3, \dots, c_k) \rightarrow \tilde{N}.$$

By iterating this process, we find for every (a_1, \dots, a_k) an isomorphism

$$\varphi^{a_1, \dots, a_k} : \pi^{-1}(a_1, \dots, a_k) \rightarrow \tilde{N}$$

canonically defined by the foliations. This isomorphisms depend holomorphically on (a_1, \dots, a_k) (this is just the holomorphic dependence on the initial condition of the solution of a holomorphic ODE), and they provide the desired product structure on \tilde{M} .



$$z' = \varphi_{a_1}^{a_2}(z) \quad z'' = \varphi^{a_1}(z') = \varphi^{a_1, a_2}(z)$$

□

There are evident generalizations of this Lemma. We have done just the minimal amount of work for our purposes.

4. TOTAL SPLITTING

Theorem 1.2 is a special case (with $D = \{0\}$) of the following more general result.

Theorem 4.1. *Let M be a compact connected Kähler manifold whose tangent bundle TM splits as*

$$TM = D \oplus L_1 \oplus \dots \oplus L_k$$

where $D \subset TM$ is a subbundle of codimension one and $L_j \subset TM$, $j = 1, \dots, k$, are subbundles of dimension one. Then the universal covering \widetilde{M} admits the structure of a $(\mathbb{P}^r \times \mathbb{C}^s \times \mathbb{D}^t)$ -bundle over R , for a suitable complex manifold R with $\dim R = \dim D$, and suitable integers r, s, t , $r + s + t = k$. Moreover, if all the codimension one subbundles $D \oplus L_1 \oplus \dots \oplus L_{j-1} \oplus L_{j+1} \oplus \dots \oplus L_k$, $j = 1, \dots, k$, are integrable, as well as $L_1 \oplus \dots \oplus L_k$, then \widetilde{M} splits as $R \times \mathbb{P}^r \times \mathbb{C}^s \times \mathbb{D}^t$, and this splitting is compatible with the one of TM .

Proof. Suppose that one of the foliations \mathcal{L}_j generated by L_j , say \mathcal{L}_k , is a foliation by rational curves, i.e. a \mathbb{P} -bundle over some compact connected Kähler manifold M' , $\dim M' = \dim M - 1$. We claim that TM' splits as $D' \oplus L'_1 \oplus \dots \oplus L'_{k-1}$.

To see this, recall that any vector bundle V on \mathbb{P} splits as $\mathcal{O}(m_1) \oplus \dots \oplus \mathcal{O}(m_r)$, where the multidegree $(m_1, \dots, m_r) \in \mathbb{Z}^r$ is uniquely defined up to a permutation. It follows that if $V = V_1 \oplus V_2$ then, necessarily, the multidegrees of V_1 and V_2 correspond to a decomposition in two disjoint pieces of the multidegree of V . Take now a fibre $F \simeq \mathbb{P}$ of $\pi' : M \rightarrow M'$, and consider $TM|_F$, which splits as $\mathcal{O}(2) \oplus \mathcal{O}(0) \oplus \dots \oplus \mathcal{O}(0)$, with $\mathcal{O}(2) = TF$. It also splits as $TF \oplus D|_F \oplus L_1|_F \oplus \dots \oplus L_{k-1}|_F$, and by the previous remark the multidegree of $D|_F$ and the degrees of $L_j|_F$, $j = 1, \dots, k-1$, are all equal to 0. This means that they can be projected to $T_{\pi(F)}M'$, giving the desired decomposition of TM' .

Suppose that another one of the foliations \mathcal{L}_j , say \mathcal{L}_{k-1} , is a foliation by rational curves. Then the foliation \mathcal{L}'_{k-1} generated by L'_{k-1} is also a foliation by rational curves, and we have a \mathbb{P} -fibration $\pi'' : M' \rightarrow M''$. Consider the composition $\pi'' \circ \pi' : M \rightarrow M''$. Its fibres are \mathbb{P} -bundles over \mathbb{P} , but they are also leaves of the integrable distribution of $L_{k-1} \oplus L_k$ (integrability is just a restatement of projectability of L_{k-1} along L_k). Hence, those fibres are isomorphic to $\mathbb{P} \times \mathbb{P}$. As before, the subbundles D and L_j , $j = 1, \dots, k-2$, are projectable to M'' .

By continuing in this way, we finally obtain, for some $r \geq 0$, a \mathbb{P}^r -bundle

$$\pi : M \rightarrow N$$

such that:

- (i) the fibres are tangent to those L_j generating a foliation by rational curves, say L_{k-r+1}, \dots, L_k ;
- (ii) D and L_j , $j = 1, \dots, k-r$, are projectable to N , giving a splitting

$$TN = D' \oplus L'_1 \oplus \dots \oplus L'_{k-r};$$

- (iii) no L'_j , $j = 1, \dots, k-r$, generates a foliation by rational curves.

Set

$$D^{(j)} = D' \oplus L'_1 \oplus \dots \oplus L'_{j-1} \oplus L'_{j+1} \oplus \dots \oplus L'_{k-r}$$

so that $TN = D^{(j)} \oplus L'_j$.

By Proposition 2.1, $D^{(j)}$ is integrable and generates a codimension one foliation whose holonomy preserves a transverse metric of curvature 0 or -1. By the Splitting

Lemma, the universal covering \widetilde{N} splits as $R \times \mathbb{C}^s \times \mathbb{D}^t$, for a suitable R and suitable integers s, t with $s + t = k - r$.

Therefore, the universal covering \widetilde{M} is a \mathbb{P}^r -bundle over $\widetilde{N} = R \times \mathbb{C}^s \times \mathbb{D}^t$, and consequently it is also a $(\mathbb{P}^r \times \mathbb{C}^s \times \mathbb{D}^t)$ -bundle over R , because any \mathbb{P}^r -bundle over $\mathbb{C}^s \times \mathbb{D}^t$ is trivial.

The last sentence of the theorem is also easy to verify. \square

Remark 4.1. If M is projective, then by [7, §2] \widetilde{M} is a trivial bundle over \widetilde{N} , and therefore a trivial bundle over R .

REFERENCES

- [1] L. Alessandrini, G. Bassanelli, *Plurisubharmonic currents and their extension across analytic subsets*, Forum Math. 5 (1993), 577–602
- [2] A. Beauville, *Complex manifolds with split tangent bundle*, Complex analysis and algebraic geometry, de Gruyter, Berlin (2000), 61–70
- [3] F. Bogomolov and M. McQuillan, *Rational Curves on Foliated Varieties*, preprint IHES (2001)
- [4] M. Brunella, *Feuilletages holomorphes sur les surfaces complexes compactes*, Ann. Sci. École Norm. Sup. 30 (1997), 569–594
- [5] M. Brunella, *Plurisubharmonic variation of the leafwise Poincaré metric*, Int. J. Math. 14 (2003), 139–151
- [6] M. Brunella, *Some remarks on parabolic foliations*, to appear in the Proceedings of the Albertofest (2003)
- [7] F. Campana, T. Peternell, *Projective manifolds with splitting tangent bundle I*, Math. Z. 241 (2002), 613–637
- [8] J.-P. Demailly, *On the Frobenius integrability of certain holomorphic p -forms*, Complex geometry (Göttingen, 2000), Springer, Berlin (2002), 93–98
- [9] S. Druel, *Variétés algébriques dont le fibré tangent est totalement décomposé*, J. Reine Angew. Math. 522 (2000), 161–171
- [10] C. Godbillon, *Feuilletages: Études géométriques*, Progress in Mathematics 98, Birkhäuser Verlag, Basel (1991)
- [11] J. V. Pereira, *Global stability for holomorphic foliations on Kaehler manifolds*, Qual. Theory Dyn. Syst. 2 (2001), 381–384
- [12] J. V. Pereira, *Fibrations, divisors and transcendental leaves*, preprint (2004)
- [13] C. Simpson, *Constructing variations of Hodge structure using Yang-Mills theory and applications to uniformization*, J. Amer. Math. Soc. 1 (1988), 867–918

MARCO BRUNELLA, IMB, 9 AVENUE SAVARY, 21078 DIJON, FRANCE

JORGE VITÓRIO PEREIRA, IMPA, EST. D. CASTORINA 110, 22460-320 RIO DE JANEIRO, BRASIL

FRÉDÉRIC TOUZET, IRMAR, CAMPUS DE BEAULIEU, 35042 RENNES, FRANCE